Search Research and Media Search

- <u>Sign Up</u>
- Sign In

Research and Media Network

Bringing people together to improve communication of research findings

- Main
- My Page
- Members
- Photos
- Videos
- Forum
- Groups
- Blogs
- All Blog Posts
- My Blog
- Add



Traditional medicinal knowledge about Aspidiotus glomeratus (Hemiptera: Diaspididae) feeding on Khas (Vetiveria zizanioides) in Chhattisgarh, India. Updated Version

- Posted by Pankaj Oudhia on April 22, 2014 at 7:30
- View Blog

Traditional medicinal knowledge about *Aspidiotus glomeratus* (Hemiptera : Diaspididae) feeding on Khas (*Vetiveria zizanioides*) in Chhattisgarh, India. Updated Version

Pankaj Oudhia

Introduction

Entomophagy and Entomotherapy are well known in Asia since generations. Unfortunately not much work has been done to document valuable Traditional Medicinal Knowledge about Insects. Pankaj Oudhia is documenting this knowledge since year 1990. The present note is updated version of his previously published online research document available through pankajoudhia.com.

Keywords: Entomophagy; Entomotherapy; Medicinal Insects; Ayurveda; Chhattisgarh;

According to the reference literatures, Khas (Vetiveria zizanioides) is a perennial grass under cultivation in many parts of India. Its dried roots are made into aromatic scented mats, fans and ornamental baskets and are also woven into curtains which when moistened, cool and scent the air. An essential oil, obtained from roots, is used in perfumery, cosmetics, soaps and for flavouring Shurbuts. The oil is stimulant, diaphoretic and refrigerant. The grass is also used in manufacture of paper and board. In Chhattisgarh, this grass is also used in manufacture of paper and board. In Chhattisgarh, this grass is well known. The dense forests are rich in natural population of Khas. It grows as wasteland herb in many parts. The natives and traditional healers have in depth traditional medicinal knowledge about this herb. Although the wild population of almost all parts of Chhattisgarh is infested with Aspidiotus but its infestation is remarkably higher in Pendra and Bilaspur region. The traditional healers of these regions use this bug as folk medicine. Through the Ethno-entomological surveys conducted in these regions, I have collected valuable information on different aspects of this medicinal insect. The full fed bugs are used as medicine both internally as well as externally. For externally use the full fed bugs are collected and after drying converted into powder. In combination with Multani Mitti (Fuller's clay) the bug powder is used in form of aqueous paste in treatment of Migraine (Adhasisi). The aqueous paste is applied on affected parts and after drying washed with the help of water. According to the traditional healers, its repeated use helps in reducing the intense headache effectively in very less time. In treatment of painful swellings, the same combination is used. In treatment of painful boils, in this combination, Sida acuta leaves are added. This application absorbs extra heat from boils and suppresses it. The traditional healers of Pendra region informed that this bug powder is a promising blood purifier, if used internally. As other promising herbal alternatives are available, it is used less commonly by the healers. These traditional medicinal uses are very popular among the healers. This popularity clearly indicates its efficacy. The healers are not aware of its other medicinal uses. Through the on-going Ethno-entomological surveys, I am trying my best to gather more information on this important aspect.

[New comments added on April, 2014: Through recent surveys I have collected information about over 300 Formulations in which Aspidiotus collected from Khas plays vital role. Although this bug is used in Traditional Entomophagy but it is less popular among the natives of young generations. As medicine Aspidiotus is added as secondary ingredient in Vanda, Fumaria, Paspalum, Tridax, Madhuca and Diospyros based Formulations. These Formulations are used internally for treatment of different types of Allergies. The Healers of North Chhattisgarh use Neem and Tribulus based solution to purify the bugs before use. In Ventilago based Formulations used for Osteoarthritis Aspidiotus is added as nonary ingredient. These Formulations are popular among the expert Healers. Old patients with poor vitality are not suggested to take these Formulations. The use of fresh bugs and freshly prepared Formulations are preferred but many Healers store it in bulk for round the year use. In Calotropis based Formulations Aspidiotus is added Septenary ingredients. These Formulations are used externally for treatment old wounds. When host plant Khas is used for treatment of Bleeding Piles these bugs are added in the Formulations in order to make it stronger. For complete Formulations and dosage please visit pankajoudhia.com]

In reference literatures, these traditional medicinal uses have yet not been reported. I personally feel that there is a strong need to conduct a systematic research on these traditional uses so that these can be used for the patients around the world.

Thank you very much for reading the article.

Related References

Oudhia, Pankaj and Thakur, B.S. (1996) New record of the leaf beetle on a weed. Current Research 25: 218.

Oudhia, P. (1997) Evaluation of host specificity of Blumea leaf beetle (Chrysolina sp. nr. madrasae Jackoby). Insect Environment. 3 (3): 80.

Oudhia, P. and Ganguali, R.N. (1998). Is Lantana camara responsible for Sal-borer infestitation in M.P.? Insect Environment. 4 (1): 5.

Oudhia, P. (1998). Medicinal insects and spiders. Insect Environment. 4(2): 57-58

Oudhia, P. (1999) Effect of some botanicals on hatchability of Blumea leaf beetle eggs. Insect Environment. 4(4): 154

Oudhia, P. (1999) Blumea leaf beetle in Chhattisgarh Plains. Insect Environment. 5 (1): 22.

Oudhia, P. and Ganguli, J. (1999). Outbreak of Tortoise beetle Aspidomorpha miliaris F. (Coleoptera; Chrysomelidae) in Chhattisgarh plains. Insect Environment 5(3): 110-111.

Oudhia, P. (1999). Effects of Total Solar Eclipse on activities of some insects and mites. Insect Environment 5(3): 113-114.

Oudhia, P. (1999). Traditional medicinal knowledge about Red velvet mite Trombidium sp. (Acari : Trombidiidae) in Chhattisgarh. Insect Environment 5(3): 113.

Oudhia P, Pandey N, Ganguli RN & Tripathi RS (1999) Gall midge (Orseolia oryzae) infestation in hybrid rice as affected by agronomical practices. Insect Environment 4: 123–124.

Oudhia P, Pandey N, Tripathi RS & Ganguli RN (1999) Effect of nitrogen and water management practices on gall midge (Orseolia oryzae) infestation in hybrid rice. Insect Environment 4: 119–120.

Oudhia P, Pandey N, Tripathi RS & Ganguli RN (1999) Reaction of hybrid rice varieties to gall midge (Orseolia oryzae).. Insect Environment 4 (4): 134.

Oudhia P, Pandey N, Tripathi RS & Ganguli RN (1999) Effect of different fertility levels on the gall midge (Orseolia oryzae) infestation.. Insect Environment 4 (3): 66-67.

Oudhia, P. (2000). Studies on host specificity and preference of the metallic coloured Tortoise beetle (Aspidomorpha miliaris F.) Ecol. Env. And Cons. 6(3):357-359.

Oudhia, P. (2000). Effects of leaf extracts on Metallic Coloured Tortoise beetle Aspidomorpha miliaris F. Insect Environment 5(4): 165.

Oudhia, P. (2000). Toxic effects of Parthenium leaf extracts on Aspidomorpha miliaris F. and Zonabris pustulata Thunb. Insect Environment 5(4): 168.

Oudhia, P. and Ganguli, R. N. (1999) Chrysolina madrassae: A potential bio-control agent for Blumea lacera. VIII Biennial Conference of Indian Society of Weed Science held at BHU, Varanasi 5-7 Feb. p 134.

Oudhia, P. (2000). Evaluation of some botanicals against orange banded blister beetle (Zonabris pustulata Thunb.). Crop Research 20(3):558-559

Oudhia,P.(2000).Record of Orange Banded Blister Beetle Zonabris pustulata Thunb.(Coleoptera: Meloidae) on Safed Moosli(Chlorophytum borivilianum).Insect Environment.6(3):138

Oudhia,P.(2000).Effect of some leaf leachates on hatchability of Blumea leaf beetle(Chrysolina madrasae Jackoby) Eggs.Indian J. Weed Sci. 32(3&4):206-207.

Oudhia, P. (2000). Traditional medicinal knowledge about green leaf hopper, Nephotettix spp. in Chhattisgarh (India). International Rice Research Notes.25 (3):40

Oudhia, P. (2000). Common housefly Musca nebulo Wiedemann (Diptera: Muscidae) as medicinal insect in Chattisgarh. Insect Environment. 6(1):36-37.

Oudhia, P. (2001). Traditional medicinal knowledge about Pod borer Helicoverpa armigera in Chhattisgarh, India. International Chickpea and Pigeonpea Newsletter.8:14-15.

Oudhia, P. (2001). Medicinal insects of Kharif crops and weeds of Chattisgarh (India). VII National Science Conference, Bharitya Krishi Anusandhan Samitee, Directorate of Cropping System Research, Meerut, India, 12-14 April.

Oudhia, P. (2001). Record of Aphis craccivora Koch.(Hemiptera: Aphididae) on medicinal crop Mucuna pruriens L. in Chhattigarh (India). Insect Environment. 7(1):24.

Oudhia, P. (2001). Traditional medicinal knowledge about Bed Bug Cimex lectularius L.(Hemiptera: Cimicidae) in Chhattisgarh (India). Insect Environment. 7(1):23.

Oudhia, P. (2001). Phyllotreta crucifera Goeze: A new pest of medicinal crop Lepidium sativum L. in Chhattisgarh (India).In: Souvenir cum Abstracts. National Research Seminar on Herbal Conservation, Cultivation, Marketing and Utilization with Special Emphasis on Chhattisgarh, 'The Herbal State'. Srishti Herbal Academy and Research Institute (SHARI) and Chhattisgarh Minor Forest Produce (Trading & Dev.) Co-operative Fedration Ltd., Raipur (India), 13-14 December, 2001. p.74.

5/1/2021 Traditional medicinal knowledge about Aspidiotus glomeratus (Hemiptera : Diaspididae) feeding on Khas (Vetiveria zizanioides) in Chhattisgarh, India. Updated Version - Research and Medi...

Oudhia, P. (2002). Traditional medicinal knowledge about common insects and mites in India. Eco. Env and Consv. 8(4):339-340.

Oudhia, P. (2002). Traditional medicinal knowledge about Red Ant Oecophylla smaragdina (Fab.) (Hymenoptera: Formicidae) in Chattisgarh, India. Insect Environment.8(3):114-115.

Oudhia, P. (2002). Traditional medicinal knowledge about Fireflies, Photuris sp.(Coleoptera: Lampyridae)in Chhattisgarh (India). Insect Environment, Vol.8 (1):25

Oudhia, P. (2005). Traditional Knowledge about medicinal insects and mites in Chhattisgarh, India: An overview. International Conference on "Promotion and Development of Botanicals with International Coordination: Exploring quality, safety, efficacy and regulations". February 25-26, 2005 Supported by: Drug Information Association, USA Secretariat: School of Natural Product Studies Jadavpur university, Kolkata 700032.)

Costa-Neto, E. M. (2005). Entomotherapy, or the medicinal use of insects. *Journal of Ethnobiology*, 25(1), 93-114.

Senthilkumar, N., Barthakur, N. D., & Rao, M. L. (2008). Bioprospecting with Reference to Medicinal Insects and Tribes in India: an Overview. *Indian Forester*, 134(12), 1575-1591.

Kumari, B., & Kumar, S. (2009). An insight into the ethnozoology of Panch Pargana area of Jharkand, India. *Journal of Threatened Taxa*, 1(8), 441-443.

Dossey, A. T. (2010). Insects and their chemical weaponry: New potential for drug discovery. *Natural product reports*, 27(12), 1737-1757.

Horgan, F. G., & Crisol, E. (2013). Hybrid rice and insect herbivores in Asia. Entomologia Experimentalis et Applicata, 148(1), 1-19.

Citation

Oudhia, Pankaj (2014). Traditional medicinal knowledge about Aspidiotus glomeratus (Hemiptera: Diaspididae) feeding on Khas (Vetiveria zizanioides) in Chhattisgarh, India. Updated Version. pankajoudhia.com

Views: 87

Share Tweet Facebook


- < Previous Post
- Next Post >

Add a Comment

You need to be a member of Research and Media Network to add comments!

Join Research and Media Network

About



Matthew Wright created this Ning Network.

Welcome to Research and Media Network

$\frac{\underline{Sign\ Up}}{\text{or}\ \underline{Sign\ In}}$

© 2021 Created by Matthew Wright. Powered by

Badges | Report an Issue | Terms of Service